

NOTICE TO BIDDERS
READY MIXED CONCRETE FOR THE FISCAL YEAR
JUNE 1, 2020 TO MAY 31, 2021

Date: March 17, 2020

Notice is hereby given that sealed proposals are sought and requested for the following:

BID OPENING INFORMATION

NAME: Ready Mix Concrete
DATE: **April 8, 2020**
TIME: **2:00 PM**
PLACE: Village of Malone Offices, 343 West Main Street, Malone, NY 12953

BID PROCEDURE INFORMATION

Bids shall be submitted in sealed envelopes addressed to:
Village of Malone, 343 West Main Street, Malone, NY 12953

On the face of said envelope the following shall be included:

1. NAME AND ADDRESS OF BIDDER
2. NAME OF BID: Concrete Bid

NOTE: BIDDERS ARE ADVISED NOT TO RELY ON NEXT DAY MAIL OR DELIVERY SERVICES. BIDS MUST BE IN THE CLERKS OFFICE ON THE DAY, DATE AND TIME SPECIFIED.

No contractor/vendor to whom this contract is let, granted or awarded shall assign, transfer, any interest herein, including the performance of the contract or the right to receive monies due to or to become due, or of his power to execute this without the proper consent of the Malone Village Mayor. In the event that the contractor shall without prior written consent assign, transfer, convey, sublet or otherwise dispose of this contract or of his right, title and interest herein, including the performance of this contract, or the right to receive moneys due or become due, or his power to execute such contract onto any other person or corporations, or upon receipt by the Village of Malone of an attachment against the contractor, the Village shall be relieved and discharged from any and all liability and obligation growing out of such contract shall have been assigned, his assignees, transferee or sublease shall forfeit and lose all monies theretofore earned under this contract, except so much as may be required to pay his employees.

Each bid should contain a non-collusion statement as required by Section 103D of the General Municipal Law of the State of New York and an Iran Divestment Act affidavit as required by General Municipal Law 103G of the State of New York.

The Village reserves the right to reject any or all bids.

Sincerely,

Cheryl Cook
Clerk, Village of Malone

**SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS FOR
READY MIXED CONCRETE – June 1, 2020 thru May 31, 2021**

GENERAL: This specification for which bids are invited covers the furnishing of accurately proportioned ready mixed concrete to the site of the work, including aggregate, cement, water, labor and plant equipment to properly manufacture the concrete, and transportation to the points required.

BATCHING OF CONCRETE: Aggregates and bulk cement shall be measured to within one percent (1%) by weight. Cement in standard 94# sacks need not be weighed. Water shall be measured by volume or weight to within one percent. (1%)

The complete batching plant assembly shall conform to the following requirements: Ready adjustment of aggregate weights for varying moisture contents: proportion of water to cement accurately controlled and easily checked: accurate control of all materials with positive shut-off: facilities for prompt removal of excess materials in hoppers: visible dial of balance indicators: each specific size of aggregate measured separately with a separate beam scale and drawn from a separate bin: bulk cement dropped through canvas chute or telescopic flexible hose, six 50 lb. weights provided. When checked in increments of 500 lbs. the weighing apparatus shall be accurate within 0.004 to and including the heaviest batch weight expected.

The equipment used in weighing each mix of batch shall have been tested by a commercial testing plant or inspector, which is approved by the Village Public Works Construction & Maintenance Supervisor, Department of Public Works, and may be rejected if it is apparent said batch does not meet the specifications.

Aggregates Cement shall be Portland Cement of 1-A, or for ready mixed concrete. Course and fine aggregates shall conform generally to the requirements of the New York State Department of Transportation of current modification as to quality and sized. All aggregates shall be crushed gravel, crusher must be crushing at all times, properly screened for sizing: and then recombined accurately by weight. All crushed gravel shall be 75% fractured. Storage pile of each aggregate shall be kept on hand (unmixed) sufficient to mix and deliver 200 cubic yards of concrete on four hours' notice within the township of Malone in order that no delay may occur. Such delivery to be made when required within an eight-hour day. Bidder shall state whether or not he is willing to guarantee this delivery. Storage shall be available for inspection any working day.

CONCRETE PROPORTIONS:

All concrete shall be machine mixed for at least one minute.

#1.

5 Bag mix:

470# Cement

715# No. 1 Crushed Gravel or Stone

1071# No.2 Crushed Gravel or Stone

#2.

6 Bag mix:

564# Cement

1215# Sand

715# No. 1 Crushed Gravel or Stone

1071# No. 2 Crushed Gravel or Stone

#3.

6 Bag Mix:

564# Cement

1580# Sand

1460# No. 1 Crushed Gravel or Stone

These proportions may be altered as required by the foreman on the job. Bids shall be submitted as follows, based upon prices of cement, future changes in said price to compensate for by adjusting price.

1. Bid per cubic yard of mixed concrete for a "5 Bag Mix" (94# of cement per bag) as delivered within the Village of Malone.
2. Bid per cubic yard of mixed concrete for a "6 Bag Mix" (94# of cement per bag) as delivered within the Village of Malone.

Bidder shall state approximate amount of concrete that can deliver in an eight (8) hour day.

TESTING: Concrete is to be tested, at the expense of the bidder, prior to acceptance of the bid.